O Siteimprove

Guidelines

Web Content Accessibility Guidelines (WCAG)

Principle 1: Perceivable

Information and user interface components must be perceivable to all users.

Success Criteria	Occurrences
1.1 Text Alternatives	
✓ 1.1.1 A Non-text Content	844
1.2 Time-based Media	
✓ 1.2.1 A Audio-only and Video-only (Prerecorded)	0
✓ 1.2.2 A Captions (Prerecorded)	0
✓ 1.2.3 A Audio Description or Media Alternative (Prerecorded)	0
1.2.4 AA Captions (Live) <a>	
✓ 1.2.5 AA Audio Description (Prerecorded)	0
1.2.6 AAA Sign Language (Prerecorded) ③	
1.2.7 AAA Extended Audio Description (Prerecorded) ③	
1.2.8 AAA Media Alternative (Prerecorded) ⑦	
1.2.9 AAA Audio-only (Live) 🕥	
1.3 Adaptable	
✓ 1.3.1 A Info and Relationships	102
1.3.2 A Meaningful Sequence ③	
1.3.3 A Sensory Characteristics ⑦	
✓ 1.3.4 AA Orientation	0
✓ 1.3.5 AA Identify Input Purpose	0
1.3.6 AAA Identify Purpose ⑦	
1.4 Distinguishable	
✓ 1.4.1 A Use of Colour	1
✓ 1.4.2 A Audio Control	0

Success Criteria	Occurrences
✓ 1.4.3 AA Contrast (Minimum)	5
✓ 1.4.4 AA Resize text	~
1.4.5 AA Images of Text ⑦	
1.4.6 AAA Contrast (Enhanced) ⑦	
1.4.7 AAA Low or No Background Audio ⊘	
✓ 1.4.8 AAA Visual Presentation	155
1.4.9 AAA Images of Text (No Exception) ③	
✓ 1.4.10 AA Reflow	\checkmark
1.4.11 AA Non-Text Contrast 🕥	
1.4.12 AA Text Spacing ⑦	
1.4.13 AA Content on Hover or Focus <a>[?]	

Principle 2: Operable Users must be able to operate the interface and navigate your site.

Success Criteria	Occurrences
2.1 Keyboard Accessible	
✓ 2.1.1 A Keyboard	0
2.1.2 A No Keyboard Trap ③	
2.1.3 AAA Keyboard (No Exception) ⑦	
2.1.4 Character Key Shortcuts ⑦	
2.2 Enough Time	
✓ 2.2.1 A Timing Adjustable	0
2.2.2 A Pause, Stop, Hide ⑦	
2.2.3 AAA No Timing ⑦	
✓ 2.2.4 AAA Interruptions	0
2.2.5 AAA Re-authenticating	
2.2.6 AAA Timeouts (?)	
2.3 Seizures	
2.3.1 A Three Flashes or Below Threshold ③	
2.3.2 AAA Three Flashes ③	
2.3.3 AAA Animation from Interactions ⑦	
2.4 Navigable	

Success Criteria	Occurrences
2.4.1 A Bypass Blocks ⑦	
✓ 2.4.2 A Page Titled	~
2.4.3 A Focus Order @	
✓ 2.4.4 A Link Purpose (In Context)	9
2.4.5 AA Multiple Ways ⑦	
2.4.6 AA Headings and Labels ⑦	
✓ 2.4.7 AA Focus Visible	1023
2.4.8 AAA Location ③	
✓ 2.4.9 AAA Link Purpose (Link Only)	219
2.4.10 AAA Section Headings ⑦	
2.5 Input Modalities	
2.5.1 A Pointer Gestures ⑦	
2.5.2 A Pointer Cancellation ⑦	
✓ 2.5.3 A Label in Name	1334
2.5.4 A Motion Actuation ⑦	
2.5.5 AAA Target Size ⑦	
2.5.6 AAA Concurrent Input Mechanisms <a>?>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	

Principle 3: Understandable Your site must be readable and understandable, with a predictable user experience.

Success Criteria	Occurrences
3.1 Readable	
✓ 3.1.1 A Language of Page	~
✓ 3.1.2 AA Language of Parts	~
3.1.3 AAA Unusual Words ⑦	
3.1.4 AAA Abbreviations ③	
3.1.5 AAA Reading Level ③	
3.1.6 AAA Pronunciation ③	
3.2 Predictable	
3.2.1 A On Focus 🕥	
3.2.2 A On Input ③	
3.2.3 AA Consistent Navigation ⑦	

Success Criteria	Occurrences
3.2.4 AA Consistent Identification 🕥	
✓ 3.2.5 AAA Change on Request	0
3.3 Input Assistance	
3.3.1 A Error Identification ⑦	
3.3.2 A Labels or Instructions ⑦	
3.3.3 AA Error Suggestion ③	
3.3.4 AA Error Prevention (Legal, Financial, Data) ③	
3.3.5 AAA Help 🕥	
3.3.6 AAA Error Prevention (All) ③	

Principle 4: Robust

Content must be compatible with assistive technology – and robust enough to remain accessible over time.

Success Criteria	Occurrences
4.1 Compatible	
✓ 4.1.1 A Parsing	2746
✓ 4.1.2 A Name, Role, Value	135
4.1.3 🗛 Status Messages ⊘	

Best practices: Quality Resolving issues at this level isn't necessary for WCAG conformance – but will help to improve the usability of your site.

Success Criteria	Occurrences
Best practices	
✓ ARIA WAI-ARIA authoring practices	26862
✓	3487